

REFERENCES

- [1] J. A. Sloboda and S. A. O'Neill, "Emotions in everyday listening to music," in *Music and Emotion*, P. N. Juslin and J. A. Sloboda, Eds. Oxford Univ. Press (OUP), 2001.
- [2] D. Västfjäll, "Emotion induction through music: A review of the musical mood induction procedure," *Musicae Scientiae. Special Issue: Current trends in the study of music and emotion*, pp. 173–212, 2002.
- [3] P. Juslin and P. Laukka, "Expression, perception, and induction of musical emotions: A review and a questionnaire study of everyday listening," *Jour. New Music Research*, 2004.
- [4] W.T.Fitch, "The biology and evolution of music: A comparative perspective," *Cognition*, vol. 100(1), 2006.
- [5] K. Hevner, "Expression in Music: A Discussion of Experimental Studies and Theories," *Psychological Review*, vol. 42, March 1935.
- [6] A. Pike, "A phenomenological analysis of emotional experience in music," *Journal of Research in Music Education*, vol. 20, pp. 262–267, 1972.
- [7] J. Sloboda and P. Juslin, *Music and Emotion: Theory and Research*. Oxford University Press, 2001.
- [8] A. J. Lonsdale and A. C. North, "Why do we listen to music? A uses and gratifications analysis." *British Journal of Psychology*, vol. 102, no. 1, pp. 108–134, February 2011.
- [9] Y.-H. Yang and H. H. Chen, *Music Emotion Recognition*. CRC Press, 2011.
- [10] Y.-H. Yang and H. H. Chen, "Machine recognition of music emotion: A review," *Transactions on Intelligent Systems and Technology*, vol. 3, no. 3, May 2013.
- [11] T. Eerola, O. Lartillot, and P. Toivainen, "Prediction of Multidimensional Emotional Ratings in Music from Audio Using Multivariate Regression Models," in *Proceedings of the 10th International Society for Music Information Retrieval Conference (ISMIR)*, Kobe, Japan, October 2009.
- [12] Y.-H. Yang and H.H.Chen, "Ranking-Based Emotion Recognition for Music Organization and Retrieval," *IEEE Transactions on Audio, Speech, and Language Processing*, vol. 19, no. 4, pp. 762–774, May 2011.
- [13] A. Huq, J. Bello, and R. Rowe, "Automated Music Emotion Recognition: A Systematic Evaluation," *Journal of New Music Research*, vol. 39, no. 3, pp. 227–244, November 2010.
- [14] J. Hu, J. S. Downie, and A. F. Ehmann, "Lyric Text Mining in Music Mood Classification," in *Proceedings of the 10th International Society for Music Information Retrieval Conference (ISMIR)*, Kobe, Japan, October 2009.
- [15] C. Laurier, J. Grivolla, and P. Herrera, "Multimodal Music Mood Classification Using Audio and Lyrics," in *Proceedings of the 7th International Conference on Machine Learning and Applications (ICMLA)*, San Diego, California, USA, December 2008, pp. 688–693.
- [16] E. M. Schmidt and Y. E. Kim, "Projection of acoustic features to continuous valence-arousal mood labels via regression," in *Proceedings of the 10th International Society for Music Information Retrieval Conference (ISMIR)*, Kobe, Japan, October 2009.
- [17] Y. Song, S. Dixon, and M. Pearce, "Evaluation of Musical Features for Emotion Classification," in *Proceedings of the 13rd International Society for Music Information Retrieval Conference (ISMIR)*, Porto, Portugal, October 2012.
- [18] D. Liu, L. Lu, and H.-J. Zhang, "Automatic mood detection from acoustic music data," in *Proceedings of the 4th International Society for Music Information Retrieval Conference (ISMIR)*, Baltimore, Maryland, USA, October 2003.

- [19] T. Li and M. Ogihara, "Detecting emotion in music," in Proceedings of the 4th International Society for Music Information Retrieval Conference (ISMIR), Baltimore, Maryland, USA, October 2003.
- [20] Y. Kim, E. Schmidt, R. Migneco, B. Morton, P. Richardson, J. Scott, J. Speck, and D. Turnbull, "Music emotion recognition: A state of the art review," in Proceedings of the 11th International Society for Music Information Retrieval Conference (ISMIR), Utrecht, Netherlands, August 2010.
- [21] <http://www.multimediaeval.org>
- [22] Audio mood classification (AMC) task of the annual music information retrieval evaluation exchange (MIREX) (<http://www.music-ir.org/mirex/wiki/>)
- [23] C. Laurier, "Automatic classification of music mood by content-based analysis," Ph.D. dissertation, Universitat Pompeu Fabra, Barcelona, Spain, 2011.
- [24] P. Ekman, "Emotion in the Human Face: Guidelines for Research and an Integration of Findings" Pergamon, 1972.
- [25] P. Juslin and J. Sloboda, "Psychological perspectives on music and emotion". Oxford University Press, 2001, pp. 71–104.
- [26] E. Schubert, "Update of the Hevner adjective checklist," *Perceptual and Motor Skills*, vol. 96, pp. 1117–1122, 2003.
- [27] M. Zentner, D. Grandjean, and K. Scherer, "Emotions evoked by the sound of music: Characterization, classification, and measurement," *Emotion*, vol. 8, no. 4, pp. 494–521, Aug. 2008.
- [28] J. Russel, "A circumspect model of affect," *Journal of Personality and Social Psychology*, vol. 39, no. 6, pp. 1161–1178, 1980.
- [29] C. Laurier, M. Sordo, J. Serra, and P. Herrera, "Music mood representation from social tags," in Proceedings of the 10th International Society for Music Information Retrieval Conference (ISMIR), Kobe, Japan, October 2009.
- [30] J. Russel, "In defense of a prototype approach to emotion concepts," *Journal of Personality and Social Psychology*, vol. 60, no. 1, pp. 37–47, 1991.
- [31] T. Eerola and J. Vuoskoski, "A comparison of the discrete and dimensional models of emotion in music," *Psychology of Music*, vol. 39, no. 1, pp. 18–49, 2011.
- [32] P. J. Rentfrow, L. R. Goldberg, and D. J. Levitin, "The structure of musical preferences: A five-factor model." *Journal of Personality and Social Psychology*, vol. 100, no. 6, pp. 1139–1157, 2011.
- [33] A. Roda, S. Canazza, and G. D. Poli, "Clustering Affective Qualities of Classical Music: Beyond the Valence-Arousal Plane," *IEEE Transactions on Affective Computing*, vol. 5, no. 4, pp. 364–376, October–December 2014.
- [34] X. Hu, J. S. Downie, C. Laurier, M. Bay, and A. F. Ehmann, "The 2007 MIREX Audio Mood Classification Task: Lessons Learned," in Proceedings of the 9th International Society for Music Information Retrieval Conference (ISMIR), Philadelphia, USA, September 2008.
- [35] Y. Song, S. Dixon, and M. Pearce, "Evaluation of Musical Features for Emotion Classification," in Proceedings of the 13rd International Society for Music Information Retrieval Conference (ISMIR), Porto, Portugal, October 2012.
- [36] X. Hu and J. S. Downie, "When Lyrics Outperform Audio for Music Mood Classification: A Feature Analysis," in Proceedings of the 11th International Society for Music Information Retrieval Conference (ISMIR), Utrecht, the Netherlands, August 2010.
- [37] X. Hu, Z. Chen, and D. Yang, "Lyric-Based Song Emotion Detection with Affective

- Lexicon and Fuzzy Clustering Method,” in Proceedings of the 10th International Society for Music Information Retrieval Conference (ISMIR), Kobe, Japan, October 2009.
- [38] C. Laurier, J. Grivolla, and P. Herrera, “Multimodal Music Mood Classification Using Audio and Lyrics,” in Proceedings of the 7th International Conference on Machine Learning and Applications (ICMLA), San Diego, California, USA, December 2008, pp. 688–693.
- [39] Y.-H. Yang and H. H. Chen, “Ranking-Based Emotion Recognition for Music Organization and Retrieval,” *IEEE Transactions on Audio, Speech, and Language Processing*, vol. 19, no. 4, pp. 762–774, May 2011.
- [40] E. M. Schmidt and Y. E. Kim, “Projection of acoustic features to continuous valence-arousal mood labels via regression,” in Proceedings of the 10th International Society for Music Information Retrieval Conference (ISMIR), Kobe, Japan, October 2009.
- [41] A. Huq, J. Bello, and R. Rowe, “Automated Music Emotion Recognition: A Systematic Evaluation,” *Journal of New Music Research*, vol. 39, no. 3, pp. 227–244, November 2010.
- [42] P. Maragos, J. F. Kaiser, and T. F. Quatieri, “Energy Separation in Signal Modularions with Application to Speech Analysis, *IEEE Trans. on Signal Processing*, vol.41, no.10, pp.3024--3051, Oct. 1993.
- [43] G. Evangelopoulos and P. Maragos, “Multiband Modulation Energy Tracking for Noisy Speech Detection”, *IEEE Transactions on Audio, Speech and Language Processing*, vol.14, no.6, pp.2024-2038, Nov. 2006.
- [44] A. Zlatintsi and P. Maragos, “AM-FM Modulation Features for Music Instrument Signal Analysis and Recognition”, *Proc. 20th European Signal Processing Conference (EUSIPCO-2012)*, Bucharest, Romania, Aug. 2012.
- [45] A. Zlatintsi and P. Maragos, “Comparison of Different Representations Based on Nonlinear Features for Music Genre Classification”, *Proc. 22nd European Signal Processing Conference (EUSIPCO-2014)*, Lisbon, Portugal, Sep. 2014.
- [46] T. Darrell, J. W. Fisher III, P. Viola and W. Freeman, “Audio-visual Segmentation and The Cocktail Party Effect”, *ICMI 2000*.
- [47] C. Alain and L. Bernstein, “From sounds to meaning: the role of attention during auditory scene analysis”, *Curr. Opin. Otolaryngol. Head Neck Surg.* 16, 2008
- [48] C. Koch, and S. Ullman, “Shifts in selective visual attention: towards the underlying neural circuitry”, *Human Neurobiology* 4(4), 219–227, 1985.
- [49] L. Itti, and C. Koch, “Computational modelling of visual attention”, *Nature Reviews Neuroscience* 2(3), 194–203, 2001.
- [50] C. Kayser, C.I. Petkov, M. Lippert, and N.K. Logothetis, “Mechanisms for allocating auditory attention: an auditory saliency map”, *Current Biology* 15(21), 1943–1947, 2005.
- [60] M. Elhilali, J. Xiang, S.A. Shamma, and J.Z. Simon, “Interaction between attention and bottom-up saliency mediates the representation of foreground and background in an auditory scene”, *PLoS biology* 7(6), 2009.
- [61] M.I. Posner, and S.E. Petersen, “The attention system of the human brain”, *Annual Review of Neuroscience* 13(1), 25–42, 1990.
- [62] E.I. Knudsen, “Fundamental components of attention”, *Annual Review of Neuroscience* 30, 57–58, 2007.
- [63] D. Walther, and C. Koch, “Modeling attention to salient proto-objects”, *J. Neural Networks* 19(9), 1395–1407, 2006.
- [64] T. Kadir, and M. Brady, “Saliency, scale and image description”, *Int’l. J. Comput. Vis.* 45(2), 83–105, 2001.

- [65] K. Rapantzikos, Y. Avrithis, and S. Kollias, “Spatiotemporal features for action recognition and salient event detection”, *Cognitive Computation*, special issue on Saliency, attention, visual search and picture scanning 3(1), 167–184, 2011.
- [66] Y. Ma, X.S. Hua, L. Lu, and H. Zhang, “A generic framework of user attention model and its application in video summarization”, *IEEE Trans. on Multimedia* 7(5), 907–919, 2005.
- [67] A. Money, and H. Agius, “Video summarization: A conceptual framework and survey of the state of the art”, *Journal of Visual Communication and Image Representation* 19(2), 121–143, 2008.
- [68] G. Evangelopoulos, A. Zlatintsi, A. Potamianos, P. Maragos, K. Rapantzikos, G. Skoumas, Y. Avrithis, “Multimodal saliency and fusion for movie summarization based on aural, visual, textual attention”, *IEEE Trans. on Multimedia* 15(7), 1553–1568, 2013. doi:10.1109/TMM.2013.2267205
- [69] C. Kayser, C.I. Petkov, M. Lippert and N.K. Logothetis, “Mechanisms for allocating auditory attention: an auditory saliency map”, *Curr. Biol.*, 2005.
- [70] O. Kalinli and S. Narayanan, “A saliency-based auditory attention model with applications to unsupervised prominent syllable detection in speech”, *Interspeech* 2007.
- [71] E.M. Kaya and M. Elhilali, “A temporal saliency map for modeling auditory attention”, *CISS* 2012.
- [72] T. Tsuchida and G. Cottrell, “Auditory saliency using natural statistics”, *Society for Neuroscience Meeting*, 2012.
- [73] L. Zhang, M.H. Tong, T.K. Marks, H. Shan and G.W. Cottrell, “SUN: A Bayesian framework for saliency using natural statistics”, *J. Vis.*, 2008.
- [74] E.M. Kaya and M. Elhilali, “Investigating bottom-up auditory attention”, *Front. Hum. Neurosci.*, 2014.
- [75] E.M. Kaya and M. Elhilali, “Modelling auditory attention”, *Phil. Trans. R. Soc.*, 2016.
- [76] J.B. Fritz, M. Elhilali, S.V. David, and S.A Shamma, “Auditory attention–focusing the searchlight on sound”, *Current opinion in neurobiology*, vol. 17 (4), pp. 437-455, 2007.
- [77] A. Zlatintsi, P. Maragos, A. Potamianos and G. Evangelopoulos, “A Saliency-Based Approach to Audio Event Detection and Summarization”, *Proc. 20th European Signal Processing Conference (EUSIPCO-2012)*, Bucharest, Romania, Aug. 2012.
- [78] A. Zlatintsi, E. Iosif, P. Maragos and A. Potamianos, “Audio Salient Event Detection And Summarization Using Audio And Text Modalities”, *EUSIPCO* 2015.
- [79] P. Koutras, A. Zlatintsi, E. Iosif, A. Katsamanis, P. Maragos and A. Potamianos, “Predicting Audio-visual Salient Events based on A-V-T Modalities For Movie Summarization”, *ICIP* 2015.
- [79] K. R. Scherer and M. R. Zentner, “Emotional effects of music: Production rules,” in *Music and Emotion*, P. N. Juslin and J. A. Sloboda, Eds. Oxford Univ. Press, 2001.
- [80] K. R. Scherer, M. R. Zentner, and A. Schacht, “Emotional states generated by music: and exploratory study of music experts,” *Music Scientiae*, pp. 149–171, 2002.
- [81] P. N. Juslin and D. Västfjäll, “Emotional responses to music: The need to consider underlying mechanisms,” *Behavioral and Brain Sciences*, vol. 31, no. 5, pp. 559–621, 2008.
- [82] L.-O. Lundqvist, F. Carlsson, P. Hilmersson, and P. N. Juslin, “Emotional responses to music: Experience, expression, and physiology,” *Psychology of Music*, vol. 37, no. 1, 2009.
- [83] P. Ball, “The Music Instinct, How Music Works and Why We Can’t Do Without It”, Oxford Univ. Press, 2010.

- [84] P. Kivy, "Introduction to a Philosophy of Music" OUP, 2002.
- [85] J. Godwin, "Harmonies of Heaven and Earth", Inner Traditions, 1995.
- [86] J. Bicknell, "Why Music Moves Us", Palgrave, 2009.
- [87] O. Sacks, "Musicophilia". A. Knopf, N.Y., 2007.
- [88] R. W. Levenson, "Emotion and the autonomic nervous system: A prospectus for research on autonomic specificity," *Social psychophysiology and emotion: Theory and clinical applications*, pp. 17–42, 1988.
- [89] J. L. Andreassi, "Psychophysiology: Human behavior and physiological response", New York NY: Psychology Press, 2000.
- [90] K. H. Kim, S. Bang, and S. Kim, "Emotion recognition system using short-term monitoring of physiological signals," *Medical and biological engineering and computing*, vol. 42, no. 3, pp. 419–427, 2004.
- [91] W. Boucsein, "Electrodermal activity", Springer, 2012.
- [92] J. Wagner, J. Kim, and E. André, "From physiological signals to emotions: Implementing and comparing selected methods for feature extraction and classification," in *Multimedia and Expo, 2005. ICME 2005. IEEE International Conference on. IEEE, 2005*, pp. 940–943.
- [93] F. Nasoz, K. Alvarez, C. L. Lisetti, and N. Finkelstein, "Emotion recognition from physiological signals using wireless sensors for presence technologies," *Cognition, Technology & Work*, vol. 6, no. 1, pp. 4–14, 2004.
- [94] F. Nasoz, C. L. Lisetti, K. Alvarez, and N. Finkelstein, "Emotion recognition from physiological signals for user modeling of affect," in *Proceedings of the 3rd Workshop on Affective and Attitude User Modelling*, Pittsburgh, PA, USA, 2003.
- [95] A. Lanata, A. Greco, G. Valenza, and E. P. Scilingo, "A pattern recognition approach based on electrodermal response for pathological mood identification in bipolar disorders," in *Proc. Int'l Conf. Acoustics, Speech and Signal Processing (ICASSP)*, pp. 3601–3605, 2014.
- [96] M. Bianchi, G. Valenza, A. Serio, A. Lanata, A. Greco, M. Nardelli, E. P. Scilingo, and A. Bicchi, "Design and preliminary affective characterization of a novel fabric-based tactile display," in *IEEE Haptics Symposium (HAPTICS)*, pp. 591–596, 2014.
- [97] G. Valenza, A. Lanata, and E. P. Scilingo, "The role of nonlinear dynamics in affective valence and arousal recognition," *Affective Computing, IEEE Transactions On*, vol. 3, no. 2, pp. 237–249, 2012.
- [98] G. Valenza, M. Nardelli, A. Lanata, C. Gentili, G. Bertschy, R. Paradiso, and E. P. Scilingo, "Wearable monitoring for mood recognition in bipolar disorder based on history-dependent long-term heart rate variability analysis," 2013.
- [99] G. Valenza, C. Gentili, A. Lanatà, and E. P. Scilingo, "Mood recognition in bipolar patients through the psyche platform: preliminary evaluations and perspectives," *Artificial intelligence in medicine*, vol. 57, no. 1, pp. 49–58, 2013.
- [100] Y. C. Huang, S. H. Lin, C. Y. Chien, Y. C. Chen, L. C. Chou, S. C. Huang, and M. Y. Jan, "A biomedical entertainment platform design based on musical rhythm characteristic and heart rate variability (HRV)," in *IEEE Int'l Conf. Multimedia and Expo*, pp. 385–388, 2008.
- [101] M. Orini, R. Bailón, R. Enk, S. Koelsch, L. Mainardi, and P. Laguna, "A method for continuously assessing the automatic response to music-induced emotions through HRV analysis," *Medical & Biological Engineering & Computing*, vol. 48, pp. 423–433, 2010.
- [102] W. Trost, T. Ethofer, M. Zentner, and P. Vuilleumier, "Mapping aesthetic musical emotions in the brain," *Cerebral Cortex*, vol. 22, no. 12, pp. 2769–2783, 2012

- [103] W. B. Davis and M. H. Thaut, "The influence of preferred relaxing music on measures of state anxiety, relaxation, and physiological responses," *Journal of Music Therapy*, vol. 26, no. 4, pp. 168-187, 1989.
- [104] C. E. Guzzetta, "Effects of relaxation and music therapy on patients in a coronary care unit with presumptive acute myocardial infarction," *Heart & Lung : The Journal of Critical Care*, vol. 18, no. 6, pp. 609-616, 1989.
- [105] C. L. Krumhansl, "An exploratory study of musical emotions and psychophysiology," *Canadian Journal of Experimental Psychology*, vol. 51, pp. 336-352, 1997.
- [106] D. Sammler, M. Grigutsch, T. Fritz, and S. Koelsch, "Music and emotion: electrophysiological correlates of the processing of pleasant and unpleasant music," *Psychophysiology* 44, 293-304, 2007.
- [107] Y.-P. Lin, C.-H. Wang, T.-P. Jung, T.-L. Wu, S.-K. Jeng, J.-R. Duann, and J.-H. Chen, "EEG-based emotion recognition in music listening," *IEEE Trans. Biomed. Eng.* 57, 1798-1806, 2010.
- [108] N. Kannathal, U. Acharya, C. Lim, P. Sadasivan, "Characterization of EEG, a comparative study," *Comput. Methods Progr. Biomed.*, 80, 17-23, 2005.
- [109] R. Khosrowabadi, A. Wahabbin Abdul Rahman, "Classification of EEG correlates on emotion using features from Gaussian mixtures of EEG spectrogram", in *Proceedings of International Conference on Information and Communication Technology for the MuslimWorld*, pp.102-107, 2005.
- [110] M. Nardelli, G. Valenza, A. Greco, A. Lanata, and E. Pasquale Scilingo, "Recognizing Emotions Induced by Affective Sounds through Heart Rate Variability", *IEEE Transactions on Affective Computing*, Oct. 2015.
- [111] A. Zlatintsi and P. Maragos, "Multiscale Fractal Analysis of Musical Instrument Signals with Application to Recognition", *IEEE Transactions on Audio, Speech and Language Processing*, Vol.21, No.4, Apr.2013.
- [112] P. Maragos, "Fractal aspects of speech signals: Dimension and interpolation," in *Proc. Int. Conf. Acoust., Speech, Signal Process*, pp. 417-420, 1991.
- [113] T. Liu, X. Hu, X. Li, M. Chen, J. Han, and L. Guo, "Merging neuroimaging and multimedia: methods, opportunities and challenges", *IEEE Trans. Human-Machine Systems*, 44(2), 2014.
- [114] U. Hasson, Y. Nir, I. Levy, G. Fuhrmann, and R. Malach. "Inter-subject synchronization of cortical activity during natural vision", *Science*, 303:1634-1640, 2004.
- [115] I. Peretz and M. Coltheart, "Modularity of music processing," *Nature Neuroscience*, vol. 6, no. 7, pp. 688-691, July 2003.
- [116] S. Koelsch, T. Fritz, D. Yves, V. Cramon, K. Muller, and A. D. Friederici, "Investigating emotion with music: An fMRI study," *Human Brain Mapping*, vol. 27, 2006.
- [117] R. Zatorre and C.L. Krumhansl, "Mental models and musical minds," *Science*, vol. 298, pp. 2138-2139, 2002.
- [118] S. Koelsch, T. Gunter, D. Yves v. Cramon, S. Zysset, G. Lohmann, and A. D. Friederici, "Bach speaks: A cortical "language-network" serves the processing of music," *NeuroImage*, vol. 17, pp. 956-966, 2002.
- [119] Z. Huang, J. Zhang, Z. Yang, G. Dong, J. Wu, A. Chan, and X. Weng, "Verbal memory retrieval engages visual cortex in musicians," *Neuroscience*, vol. 168, pp. 179-189, 2010.
- [120] B. Johansson, "Music and brain plasticity," *European Review*, vol. 14, pp. 49-64, 2006.
- [121] L. Jäncke, "Music drives brain plasticity," *Biology Reports*, 2009.

- [122] A. D. Patel, *Music, Language, and the Brain*. OUP, 2008.
- [123] E. O. Altenmuller, “How many music centers are in the brain?” *Ann. N.Y. Acad. Sci.*, vol. 930, pp. 273–280, 2001.
- [124] R. J. Zatorre, P. Belin, and V. B. Penhune, “Structure and function of auditory cortex: music and speech,” *TRENDS in Cognitive Sciences*, vol. 6, no. 1, pp. 37–46, Jan. 2002.
- [125] I. Peretz, “Music, language and modularity framed in action,” *Psychologica Belgica*, vol. 49, pp. 157–175, 2009.
- [126] S. Bencivelli, “Why We Like Music”, Music Word Media Group, 2007.
- [127] C. Chang, G.H. Glover, “Time-frequency dynamics of resting-state brain connectivity measured with fMRI”, *NeuroImage* 50 (1), 81–98, 2010.
- [128] M. Yaesoubi, E.A. Allen, R.L. Miller, and V.D Calhoun, “Dynamic coherence analysis of resting fMRI data to jointly capture state-based phase, frequency, and time-domain information”, *NeuroImage* 120, 133–142, 2010.
- [129] R.M. Hutchison, T. Womelsdorf, E.A. Allen, P.A. Bandettini, V.D. Calhoun, M. Corbetta, S. Della Penna, J.H. Duyn, G.H. Glover, J. Gonzalez-Castillo, D.A. Handwerker, S. Keilholz, V. Kiviniemi, D.A. Leopold, F. de Pasquale, O. Sporns, M. Walter, C. Chang, “Dynamic functional connectivity: promise, issues, and interpretations”, *NeuroImage*, 80(4), 360–378, 2013.
- [130] J. X. O’Reilly, M. W. Woolrich, T.E.J. Behrens, S.M. Smith, and H. Johansen-Berg, “Tools of the trade: psychophysiological interactions and functional connectivity”, *Social Cognitive and addictive Neuroscience*, 7 (5), pp. 604-609, 2012.
- [131] M. G. Preti, T. AW. Bolton and D. Van De Ville, “The dynamic functional connectome: State-of-the-art and perspectives”, *NeuroImage*, 2016.
- [132] D.J. Levitin et al., “Measuring the representational space of music with fMRI: a case study with Sting”, *Neurocase*, 22(6), 548-557, 2016.
- [133] M. Casey, J. Thompson, O. Kang, R. Raizada, and T. Wheatley, “Population codes representing musical timbre for high-level fMRI categorization of music genres”, *Machine learning and Interpretation in Neuroimaging, Lecture notes in Computer Science (LNCS)*, Vol. 7263, pp. 34-41, 2012.
- [134] A. Gabrielsson, “Emotion perceived and emotion felt: Same or different?” *Musicae Scientiae*, pp. 123–147, 2002.
- [135] D. Huron, “Sweet Anticipation: Music and the Psychology of Expectation”, MIT Press, Cambridge, Massachusetts, 2006.
- [136] C.-C. Yeh, S.-S. Tseng, P.-C. Tsai, and J.-F. Weng, “Building a personalized music emotion prediction system.” in *Proc. Pacific-Rim Conf. Multimedia*, 2006, pp. 730–739.
- [137] B. Zhu and T. Liu, “Research on emotional vocabulary-driven personalized music retrieval,” in *Edutainment*, pp. 252–261, 2008.
- [138] O. John and S. Srivastava, “The Big Five trait taxonomy: History, measurement, and theoretical perspectives,” in *Handbook of personality: Theory and research*, 2nd ed. New York, USA: Guilford Press, 1999, vol. 2, no. 510, pp. 102–138.
- [139] L. Goldberg, J. Johnson, H. Eber, R. Hogan, M. Ashton, C. Cloninger, and H. Gough, “The international personality item pool and the future of public-domain personality measures,” *Journal of Research in Personality*, vol. 40, no. 1, pp. 84–96, 2006.
- [140] A. Vinciarelli and G. Mohammadi, “A Survey of Personality Computing,” *IEEE Transactions on Affective Computing*, vol. 5, no. 3, pp. 273–291, July–September 2014.
- [141] G. Mohammadi and A. Vinciarelli, “Automatic Personality Perception: Prediction of

- Trait Attribution Based on Prosodic Features,” *Transactions on Affective Computing*, vol. 3, no. 3, pp. 273–284, July– September 2012.
- [142] B. Lepri, J. Staiano, E. Shmueli, F. Pianesi, and A. Pentland, “The Role of Personality in Shaping Social Networks and Mediating Behavioral Change,” *User Modeling and User-Adapted Interaction - Special Issue on Personality in Personalized Systems*, pp. 1–33, February 2016.
- [143] P. J. Rentfrow and S. D. Gosling, “The do re mi’s of everyday life: The structure and personality correlates of music preferences.” *Journal of Personality and Social Psychology*, vol. 84, no. 6, pp. 1236– 1256, 2003.
- [144] T. Chamorro-Premuzic and A. Furnham, “Personality and music: can traits explain how people use music in everyday life?” *British Journal of Psychology*, vol. 98, pp. 175–185, May 2007.
- [145] ———, “The content and validity of music-genre stereotypes among college students,” *Psychology of Music*, vol. 35, no. 2, pp. 306–326, February 2007.
- [146] B. Ferwerda, M. Schedl, and M. Tkalcic, “Personality & Emotional States: Understanding Users Music Listening Needs,” in *UMAP, Extended Proceedings*, Dublin, Ireland, June-July 2015.
- [147] B. Ferwerda, E. Yang, M. Schedl, and M. Tkalcic, “Personality Traits Predict Music Taxonomy Preferences,” in *Proceedings of the 33rd Annual ACM Conference Extended Abstracts on Human Factors in Computing Systems*, Seoul, Korea, pp. 2241–2246, April 2015.
- [148] L. Taruffi and S. Koelsch, “The paradox of music- evoked sadness: An online survey”, *PloS One*, 9, e110490, 2014.
- [149] J. K. Vuoskoski and T. Eerola, “Can sad music really make you sad? Indirect measures of affective states induced by music and autobiographical memories”, *Psychology of Aesthetics, Creativity and the Arts*, 6, 204-213, 2012.
- [150] J.K. Vuoskoski, W.F. Thompson, D. McIlwain and T. Eerola, “Who enjoys listening to sad music and why?” *Music Perception*, 29, 311-317, 2012.
- [151] S. Garrido and E. Schubert, “Individual differences in the enjoyment of negative emotion in music: A literature review and experiment”, *Music Perception*, 28, 279-296, 2011.
- [152] S. Garrido and E. Schubert, “Adaptive and maladaptive attraction to negative emotions in music”, *Musicae Scientiae*, 17, 147-166, 2013.
- [153] Y.-A. Chen, J.-C. Wang, Y.-H. Yang, and H. Chen, “Linear Regression-based Adaptation of Music Emotion Recognition Models for Personalization, ICASSP-2014.
- [154] P. Foster, A. Klapuri, S. Dixon, “A method for identifying repetition structure in musical audio based on time series prediction”, in *Proc. EUSIPCO-2012*.
- [155] A. Pikrakis, “Audio thumbnailing in video sharing sites”, in *Proc. EUSIPCO-2012*.
- [156] H. Duxans, X. Anguera, D. and Conejero, “Audio based soccer game summarization”, in *Proc. BMSB-2009*.
- [157] D. Damm, D. von Zeddelmann, M. Oispuu, M. Häge, and F. Kurth, “A system for audio summarization in acoustic monitoring scenarios”, in *Proc. EUSIPCO-2012*.
- [158] G. Tzanetakis, and P. Cook, “Multifeature Audio Segmentation for Browsing and Annotation”, in *Proc. WASPAA-1999*.
- [159] R.B. Dannenberg, “Music structure analysis from acoustic signals”, *Handbook of Signal Process. in Acoustics*, 2005.
- [160] W. Jiang, C. Cotton, A.C. and Loui, “Automatic consumer video summarization by

audio and visual analysis”, in Proc. ICME-2011.

[161] M. Cooper, and J. Foote, “Summarizing Popular Music via Structural Similarity Analysis”, in Proc. WASPAA-2003.

[162] M. Clausen, and M. Muller, “Transposition-Invariant Self-Similarity Matrices”, in Proc. ISMIR-2007.

[163] J. Paulus, and A. Klapuri, “Music structure analysis using a probabilistic fitness measure and greedy search algorithm”, IEEE Trans. on Audio, Speech and Language Process. vol. 17(6), pp. 1159-1170, 2009.

[164] L. Lue, and H.-J. Zhang, “Automated extraction of music snippets,” in Proc. ACM. 2003.

[165] Y. Ma, X.S. Hua, L. Lu, and H. Zhang, “A generic framework of user attention model and its application in video summarization,” IEEE Trans. on Multimedia, vol. 7 (5), pp. 907–919, 2005.

[166] J. Wellhausen and M. Höynck, “Audio Thumbnailing using MPEG-7 Low Level audio descriptors”, in Proc. SPIE 5242, Internet Multimedia Management Systems IV (ITCom-03), 2003.

[167] X. Hu, J. S. Downie, C. Laurier, M. Bay, and A. F. Ehmann. “The 2007 MIREX audio mood classification task: Lessons learned”, In Proc. Int. Soc. Music Info. Retrieval Conf., pages 462–467, 2008.

[168] J. A. Speck, E. M. Schmidt, B. G. Morton, and Y. E. Kim. “A comparative study of collaborative vs. traditional musical mood annotation”, In Proc. Int. Soc. Music Info. Retrieval Conf., 2011.

[169] Y.-A. Chen, J.-C. Wang, Y.-H. Yang, and H. H. Chen, “The AMG1608 dataset for music emotion recognition”, In Proc. IEEE Int. Conf. Acoust., Speech, Signal Process., pp. 693–697, 2015.

[170] Y.-H. Yang and H. H. Chen, “Predicting the distribution of perceived emotions of a music signal for content retrieval,” IEEE Trans. Audio, Speech, and Language Processing, vol. 19, no. 7, pp. 2184–2196, 2011.

[171] S. Koelstra, C. Muhl, M. Soleymani, J.-S. Lee, A. Yazdani, T. Ebrahimi, T. Pun, A. Nijholt, and I. Patras, “DEAP: A database for emotion analysis; using physiological signals,” IEEE Trans. Affective Computing, vol. 3, no. 1, pp. 18–31, 2012.

[172] F. Eyben, F. Weninger, F. Gross, and B. Schuller. Recent developments in openSMILE, the Munich Open-source Multimedia Feature Extractor. In Proceedings of ACM MM, pp. 835–838, 2013.

[173] O. Lartillot and P. Toiviainen, “A Matlab toolbox for musical feature extraction from audio,” in Proc. Int. Conf. Digital Audio Effects, 2007.